



CJ1W-OD212

Digital output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, load short-circuit protection, screw terminal

Specifications

I/O system	CJ I/O Bus
Expansion unit type	Basic I/O Unit
Type of module	Digital I/O
Number of digital inputs	0
Digital input type	None
OFF/ON delay	0-32 ms
Number of digital outputs	16
Digital output type	PNP
Permitted voltage at output	20.4-26.4 V
Output current	0.5 A
Short-circuit protected outputs	✓
I/O connection type	Screw
Number of I/O connectors	1
Detachable I/O connector	✓
Suitable for safety functions	✗
Number of IOV (V+) terminals	1
Number of IOG (V-) terminals	1
Number of COM terminals	0
Product Height (unpacked)	90 mm
Product Width (unpacked)	31 mm
Product Depth (unpacked)	89 mm
Product Weight (unpacked)	64 g

CAD Library



CJ1W-OC/OA/OD Datasheet

EN PDF 3.88 MB



CJ2 CPU Units Hardware Users Manual

EN PDF 8.4 MB



CJ2-Series Programmable Controller Datasheet

EN PDF 17.5 MB



EAC Mark removal Discontinuation Notice

EN PDF 221 KB